



Cover profile, Length: 110.2 mm, Width: 41.9 mm, Colour: Yellow

**RAL:** 1026

### Business data

|                                            |                |
|--------------------------------------------|----------------|
| Article number                             | <u>17025.8</u> |
| Article name                               | ADH 120 YE     |
| GTIN (EAN)                                 | 4044211177430  |
| Packaging unit                             | 10             |
| Quantity unit                              | PC             |
| Weight per piece (not including packaging) | 16.3 g         |
| Weight per piece (including packaging)     | 23.1 g         |
| Unit of weight                             | G              |
| Customs number                             | 85389099       |
| Country of origin                          | DE             |
| Prio-Article                               | 17025.2        |
| Product description                        | Cover profile  |

---

### Technical data

---

#### Dimensions

|        |          |
|--------|----------|
| Length | 110.2 mm |
| Width  | 41.9 mm  |
| Height | 44.8 mm  |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |

#### Environmental Product Compliance

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

---

---

### Media

---

**EAC**

---

### Accessories

---

#### ##INVERSE##CONTA-CONNECT

---



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5,  
Rated cross-section: 120 mm<sup>2</sup>, Width: 42 mm, Colour: Beige

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>17023.2</u> | HSKG 120/M10/B/B BG | 4044211177416 | 5 ST           |

---