
# Data sheet

# 2714.2 AP IKD 2,5/kurz BG





End plate, Colour: Beige

### **Business data**

| Article number                             | <u>2714.2</u>      |
|--|--------------------|
| Article name                               | AP IKD 2,5/kurz BG |
| GTIN (EAN)                                 | 4044211054557      |
| Packaging unit                             | 20                 |
| Quantity unit                              | PC                 |
| Weight per piece (not including packaging) | 0.96 g             |
| Weight per piece (including packaging)     | 1.05 g             |
| Unit of weight                             | G                  |
| Customs number                             | 85389099           |
| Country of origin                          | DE                 |
| Product description                        | End plate          |
| Colour                                     | Beige              |

# **Data sheet**



# 2714.2 AP IKD 2,5/kurz BG

| Technical data                   |               |  |
|----------------------------------|---------------|--|
| Dimensions                       |               |  |
| Length                           | 21.8 mm       |  |
| Height                           | 34.5 mm       |  |
| Materials                        |               |  |
| Material                         | Polyamide 6.6 |  |
| Flammability class UL 94         | V-2           |  |
| Working temperature, min.        | -40 °C        |  |
| Working temperature, max.        | 105 °C        |  |
| Further technical data           |               |  |
| Designed as end plate            | ✓             |  |
| Snap-on available                | ✓             |  |
| Environmental Product Compliance |               |  |
| REACH Conform                    | yes           |  |
| REACH Reference date             | 2023-06-14    |  |
| REACH Candidate Substance Note   | No            |  |
| RoHS Conform                     | yes           |  |

# Data sheet 2714.2 AP IKD 2,5/kurz BG



Media

### Data sheet





#### **Accessories**

#### ##INVERSE##CONTA-CONNECT



Three-level initiator terminal | Multi-wire terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2268.2         | IKD 2,5/Q BG | 4044211050771 | 50             |



Three-level initiator terminal | Multi-wire terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1295.2         | IKD 2,5/F BG | 4044211040093 | 50             |



Three-level initiator terminal | Multi-wire terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| 2269.2         | IKD 2,5/F/Q BG | 4044211050795 | 50 ST          |



Three-level initiator terminal | Multi-wire terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1261.2         | IKD 2,5 BG   | 4044211035433 | 50             |