

Data sheet

5692.3 AP 2/D OG



Mounting plate for direct mount to locking base system RS-SP 2, Enables profile to be mounted on mounting plates using M5 screw, colour: orange

Business data

Article number	5692.3
Article name	AP 2/D OG
GTIN (EAN)	4044211068868
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	5.12 g
Weight per piece (including packaging)	5.13 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	End plate

Technical data

Dimensions

Length	121.9 mm
Width	19 mm
Height	17.6 mm

Materials

Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

Further technical data

Mounting type	Screws
---------------	--------


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

Accessories

##INVERSE##CONTA-ELECTRONICS



Extruded profile for locking base system, length: 2000 mm, lower part, width: 119 mm, PCB width: 100 or 108 mm, colour: orange, Note: required profile length = PCB length - 4.5 mm

Article number	Article name	GTIN (EAN)	Packaging unit
<u>5690.3</u>	RS-SP 2 2000 mm OG	4044211068783	1 M