



End plate, Width: 1.5 mm, Colour: Beige

#### **Business data**



#### **Technical data**

Dimensions	
Length	61.8 mm
Width	1.5 mm
Min. thickness	1.5 mm
Height	58.7 mm
Materials	
Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Designed as end plate	$\checkmark$
Snap-on available	$\checkmark$
Environmental Product Compliance	
REACH Conform	Yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No

**ZCONTACLIP** 

Media



#### Accessories

#### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1163.2	RK 35/Z BG	4044211023737	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1494.2	RK 35/IS BG	4044211045272	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1052.2	RK 35 BG	4044211011000	20



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm<sup>2</sup>, Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1495.2	RK 35/Z/IS BG	4044211045296	20