

External insulated cross-connector, No. of poles: 4, Mounting type: Plug in, Width: 23 mm, Rated current: 27 A; Colour: Yellow

**RAL:** 1026

### Business data

|  |                                    |
|--|------------------------------------|
| Article number                             | 2140.0                             |
| Article name                               | AQI 4/6/11 YE                      |
| GTIN (EAN)                                 | 4044211049614                      |
| Packaging unit                             | 50                                 |
| Quantity unit                              | PC                                 |
| Weight per piece (not including packaging) | 2.28 g                             |
| Weight per piece (including packaging)     | 2.29 g                             |
| Unit of weight                             | G                                  |
| Customs number                             | 85389099                           |
| Country of origin                          | DE                                 |
| Product description                        | External insulated cross-connector |
| Colour                                     | Yellow                             |

### Technical data

#### Dimensions

|       |       |
|-------|-------|
| Width | 23 mm |
|-------|-------|

|            |      |
|------------|------|
| Pitch size | 6 mm |
|------------|------|

#### Ratings

|               |      |
|---------------|------|
| Rated current | 27 A |
|---------------|------|

|                      |   |
|----------------------|---|
| Contamination degree | 3 |
|----------------------|---|

#### Connection data

|              |   |
|--------------|---|
| No. of poles | 4 |
|--------------|---|

#### Materials

|          |        |
|----------|--------|
| Material | Copper |
|----------|--------|

|         |            |
|---------|------------|
| Surface | Tin-plated |
|---------|------------|

|                    |               |
|--------------------|---------------|
| Insulation housing | Polyamide 6.6 |
|--------------------|---------------|

|                          |     |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

|                           |        |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

|                           |        |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

#### Further technical data

|               |         |
|---------------|---------|
| Mounting type | Plug in |
|---------------|---------|

|                      |   |
|----------------------|---|
| Insulation available | ✓ |
|----------------------|---|

|                               |   |
|-------------------------------|---|
| Touch protection is available | ✓ |
|-------------------------------|---|

|                             |   |
|-----------------------------|---|
| Number of bridged terminals | 4 |
|-----------------------------|---|

#### Environmental Product Compliance

|               |     |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

|                      |            |
|----------------------|------------|
| REACH Reference date | 2023-06-14 |
|----------------------|------------|

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

|              |     |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|


---

### Media

---


### Accessories

#### ##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">2341.2</a> | BKA 4/20 e.B. BG | 4044211051266 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name    | GTIN (EAN)    | Packaging unit |
|------------------------|-----------------|---------------|----------------|
| <a href="#">2331.2</a> | BKA 4/5 e.B. BG | 4044211051167 | 50 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">2334.2</a> | BKA 4/10 e.B. BG | 4044211051198 | 20 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">2342.2</a> | BKA 4/24 e.B. BG | 4044211051273 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number         | Article name     | GTIN (EAN)    | Packaging unit |
|------------------------|------------------|---------------|----------------|
| <a href="#">2351.2</a> | BKA 4/13 b.B. BG | 4044211051365 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number         | Article name | GTIN (EAN)    | Packaging unit |
|------------------------|--------------|---------------|----------------|
| <a href="#">2177.2</a> | BKA 4/12 BG  | 4044211049997 | 20 ST          |

### ##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2344.2</u>  | BKA 4/3 b.B. BG | 4044211051297 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2349.2</u>  | BKA 4/10 b.B. BG | 4044211051341 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2356.2</u>  | BKA 4/20 b.B. BG | 4044211051419 | 10 ST          |



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1406.2</u>  | BKA 4/1 Ex BG | 4044211044534 | 100            |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2335.2</u>  | BKA 4/12 e.B. BG | 4044211051204 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2346.2</u>  | BKA 4/5 b.B. BG | 4044211051310 | 50 ST          |

### ##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2347.2</u>  | BKA 4/6 b.B. BG | 4044211051327 | 50 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2354.2</u>  | BKA 4/16 b.B. BG | 4044211051396 | 20 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1039.2</u>  | BKA 4/24 BG  | 4044211008284 | 10 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2179.2</u>  | BKA 4/20 BG  | 4044211050016 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2339.2</u>  | BKA 4/16 e.B. BG | 4044211051242 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2309.2</u>  | BKA 4/3 e.B. BG | 4044211050962 | 50 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2337.2</u>  | BKA 4/14 e.B. BG | 4044211051228 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2340.2</u>  | BKA 4/18 e.B. BG | 4044211051259 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2348.2</u>  | BKA 4/8 b.B. BG | 4044211051334 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2352.2</u>  | BKA 4/14 b.B. BG | 4044211051372 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2353.2</u>  | BKA 4/15 b.B. BG | 4044211051389 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2355.2</u>  | BKA 4/18 b.B. BG | 4044211051402 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1037.2</u>  | BKA 4/16 BG  | 4044211008062 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2171.2</u>  | BKA 4/3 BG   | 4044211049928 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2174.2</u>  | BKA 4/6 BG   | 4044211049959 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2178.2</u>  | BKA 4/15 BG  | 4044211050009 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2332.2</u>  | BKA 4/6 e.B. BG | 4044211051174 | 50 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2333.2</u>  | BKA 4/8 e.B. BG | 4044211051181 | 20 ST          |



### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1036.2</u>  | BKA 4/14 BG  | 4044211007959 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2170.2</u>  | BKA 4/2 BG   | 4044211049911 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2172.2</u>  | BKA 4/4 BG   | 4044211049935 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2345.2</u>  | BKA 4/4 b.B. BG | 4044211051303 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1038.2</u>  | BKA 4/18 BG  | 4044211008178 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige


| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2137.2</u>  | BKA 4/13 BG  | 4044211049584 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2173.2</u>  | BKA 4/5 BG   | 4044211049942 | 50 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2176.2</u>  | BKA 4/10 BG  | 4044211049980 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2343.2</u>  | BKA 4/2 b.B. BG | 4044211051280 | 50 ST          |




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2357.2</u>  | BKA 4/24 b.B. BG | 4044211051426 | 10 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige


| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2158.2</u>  | BKA 4/1 BG   | 4044211049782 | 100            |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2330.2</u>  | BKA 4/4 e.B. BG | 4044211051150 | 50 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2336.2</u>  | BKA 4/13 e.B. BG | 4044211051211 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2350.2</u>  | BKA 4/12 b.B. BG | 4044211051358 | 20 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>2308.2</u>  | BKA 4/2 e.B. BG | 4044211050955 | 50 ST          |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2338.2</u>  | BKA 4/15 e.B. BG | 4044211051235 | 20 ST          |



Motor-connection terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1425.2</u>  | VMAK 2,5 BG  | 4044211044701 | 40 ST          |


### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2351.2</u>  | BKA 4/13 b.B. BG | 4044211051365 | 20 ST          |

### ##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2177.2</u>  | BKA 4/12 BG  | 4044211049997 | 20 ST          |