

## 2240.0 BS 25 ohne Kappe

---



Mounting screw, M 2.5, Colour: natural

### Business data

---

|  |                  |
|--|------------------|
| Article number                             | <u>2240.0</u>    |
| Article name                               | BS 25 ohne Kappe |
| GTIN (EAN)                                 | 4044211050634    |
| Packaging unit                             | 50               |
| Quantity unit                              | PC               |
| Weight per piece (not including packaging) | 2.84 g           |
| Weight per piece (including packaging)     | 2.85 g           |
| Unit of weight                             | G                |
| Customs number                             | 74153300         |
| Country of origin                          | DE               |
| Product description                        | Mounting screw   |
| Colour                                     | Natural          |

# Data sheet

## 2240.0 BS 25 ohne Kappe

---

### Technical data

---

#### Connection data

|                         |         |
|-------------------------|---------|
| Screw head              | Slotted |
| Screw threading         | M 2,5   |
| Tightening torque, min. | 0.4 Nm  |
| Tightening torque, max. | 0.8 Nm  |

#### Materials

|               |        |
|---------------|--------|
| Surface screw | Nickel |
|---------------|--------|

#### Further technical data

|               |           |
|---------------|-----------|
| Mounting type | Screwable |
|---------------|-----------|

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | No         |
| REACH Reference date           | 2023-06-14 |
| REACH Candidate Substance Note | No         |
| REACH CAS 1 Substance          | LEAD       |
| REACH CAS 1 Percent minimal    | 0.1 %      |
| REACH CAS 1 Percent maximum    | 4 %        |
| REACH CAS 1 Number             | 7439-92-1  |
| RoHS Conform                   | yes        |
| RoHS Exception rule            | 6c         |

---

### Media

---



---

### Accessories

---