



End support, Mounting type: Mounting surface, Width: 8 mm, Colour: Beige

Business data

| Article number | 2180.2 |
|--|---------------|
| Article name | EH 4 BG |
| GTIN (EAN) | 4044211050023 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 4.64 g |
| Weight per piece (including packaging) | 4.67 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 2180.2 |
| Product description | End support |



Technical data

| Dimensions | | |
|----------------------------------|---------------|--|
| Length | 46 mm | |
| Width | 8 mm | |
| Terminal width | 8.00 mm | |
| Height | 36 mm | |
| Hole diameter | 3.5 mm | |
| Materials | | |
| Material | Polyamide 6.6 | |
| Flammability class UL 94 | V-2 | |
| Working temperature, min. | -40 °C | |
| Working temperature, max. | 105 °C | |
| Further technical data | | |
| Mounting type | Mounting face | |
| Environmental Product Compliance | | |
| REACH Candidate Substance Note | No | |

ZCONTACLIP

Media



Accessories

##INVERSE##CONTA-CONNECT

| Feed-through terminal for direct mount/block variant, Screw connection, Mounting type: Mounting surface, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige | | | |
|--|---------------|---------------|-------------------|
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 1389.2 | KBL 6-10-D BG | 4044211044305 | 100 |



Feed-through terminal for direct mount/block variant, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number Article name | | GTIN (EAN) | Packaging unit |
|-----------------------------|--------------|---------------|-------------------|
| <u>1387.2</u> | KBL 2,5-D BG | 4044211044282 | 100 |



Feed-through terminal for direct mount/block variant, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 1388.2 | KBL 2,5-4-D BG | 4044211044299 | 100 |