



Seal, Mounting type: Plug in, Length 65.2 mm, Width: 20.3 mm, IP 66, Colour: Grey

RAL: Ähnlich 7035

Business data

| | |
|--|-----------------|
| Article number | <u>28721.6</u> |
| Article name | KDS-DE-FB2/C GR |
| GTIN (EAN) | 4044211221140 |
| Packaging unit | 5 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 21.38 g |
| Weight per piece (including packaging) | 22.18 g |
| Unit of weight | G |
| Customs number | 39259020 |
| Country of origin | DE |
| Product description | Sealing Element |
| Colour | Grey |

Technical data

Dimensions

| | |
|--------|---------|
| Length | 65.2 mm |
| Width | 20.3 mm |
| Height | 17.7 mm |

Materials

| | |
|---------------------------|--------|
| Material | TPE |
| Flammability class UL 94 | V-0 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 90 °C |
| Halogen-free | ✓ |
| Silicone-free | ✓ |

Further technical data

| | |
|----------------------|---------|
| Mounting type | Plug in |
| Degree of protection | IP66 |
| Strain relief | ✓ |
| Cable width min. | 45 mm |
| Cable width max. | 50.5 mm |
| Cable thickness min. | 6 mm |
| Cable thickness max. | 6.5 mm |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-06-14 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

##INVERSE##CONTA-CABLE



Cable entry with moulded-in seal, Mounting type: Screws, Length: 147 mm, Width: 39 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28711.4</u> | KDS-SR-FB4/E BK | 4044211225582 | 10 ST |



Cable entry with injected seal, Mounting type: Screws, Length: 98 mm, Width: 39 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28701.4</u> | KDS-SR-FB2/A BK | 4044211225483 | 10 ST |



Cable entry with moulded-in seal, Mounting type: Screws, Length: 120 mm, Width: 39 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28704.4</u> | KDS-SR-FB3/B BK | 4044211225513 | 10 ST |



Cable entry with moulded-in seal, Mounting type: Screws, Length: 147 mm, Width: 39 mm, IP 66, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>28709.4</u> | KDS-SR-FB4/C BK | 4044211225568 | 10 ST |