



Split cable gland including counter nut, Thread type: metric, Material: PA 6.6, Protection: IP 66, Colour: Black

**RAL:** 9005

### Business data

Article number	<u>28614.4</u>
Article name	KDS-KV M50 BK
GTIN (EAN)	4044211208974
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	36.5 g
Weight per piece (including packaging)	36.9 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Cable gland
Colour	Black

### Technical data

#### Dimensions

Length	72 mm
Width	72 mm
Height	39.7 mm
Installation height	24.7 mm
Diameter of screw head	72 mm

#### Thread

Thread type	Metric
Thread size	50 mm
Thread pitch	1.5 mm
Thread length (L)	15 mm

#### Materials

Material	Polyamide 6.6
Glass-fibre reinforced	✓
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	TPE
Type of seal	Seal ring
Halogen-free	✓
Silicone-free	✓


#### Further technical data

Mounting type	Screws
Degree of protection	IP66
Spanner width (AF)	68 mm
With counter nut	✓
Strain relief	✓
Hexagonal corner size	72 mm
Torque for the locknut	7 Nm

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

### Media



## 28614.4 KDS-KV M50 BK

### Accessories

#### ##INVERSE##CONTA-CABLE



Separated counter nut, Thread type: metric, Material: PA 6.6, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28620.4</u>	KDS-GM 50 BK	4044211209032	5 ST

### Sheet-metal puncher

Sheet metal punch for round cutouts, Cutout diameter: 50.5 mm, Maximum wall thickness: 2.0 mm for S 235 sheet metal, Material: steel

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28750.0</u>	BL KDS-KV M50	4044211222031	1 ST

-

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28758.0</u>	BL-VA KDS-KV M50	4044211234485	1 ST