

9810.7 MC KMC 0/4x12/40 WH



Wire and cable markers / Maxicard, Length: 12 mm, Width: 4.1 mm, Colour: White

RAL: 9010

Business data

| | |
|--|----------------------------------|
| Article number | 9810.7 |
| Article name | MC KMC 0/4x12/40 WH |
| GTIN (EAN) | 4044211158439 |
| Packaging unit | 200 |
| Quantity unit | PC |
| Number of markers per card | 40 ST |
| Number of markers per row | 5 ST |
| Weight per piece (not including packaging) | 0.35 g |
| Weight per piece (including packaging) | 0.49 g |
| Unit of weight | G |
| Customs number | 39269097 |
| Country of origin | DE |
| Prio-Article | 9810.7 |
| Product description | Wire and cable marker / Maxicard |

Technical data

Dimensions

| | |
|--------|-------|
| Length | 12 mm |
|--------|-------|

| | |
|-------|--------|
| Width | 4.1 mm |
|-------|--------|

Connection data

| | |
|--------------------------|----------------------|
| Wire cross-section, min. | 0.14 mm ² |
|--------------------------|----------------------|

| | |
|--------------------------|-------------------|
| Wire cross-section, max. | 1 mm ² |
|--------------------------|-------------------|

| | |
|------------------------------------|--------|
| Outer diameter of insulation, min. | 0.9 mm |
|------------------------------------|--------|

| | |
|-----------------------------------|--------|
| Max. outer diameter of insulation | 2.6 mm |
|-----------------------------------|--------|

Materials

| | |
|-----------------|---------------|
| Marker material | Polyamide 6.6 |
|-----------------|---------------|

| | |
|--------------------------|-----|
| Flammability class UL 94 | V-2 |
|--------------------------|-----|

| | |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

| | |
|---------------------------|--------|
| Working temperature, max. | 105 °C |
|---------------------------|--------|

| | |
|--------------|---|
| Halogen-free | ✓ |
|--------------|---|

Print

| | |
|----------------------------------|---|
| Number of characters, horizontal | 8 |
|----------------------------------|---|

| | |
|---|---|
| Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text | 1 |
|---|---|

| | |
|--------------------------------|---|
| Number of characters, vertical | 2 |
|--------------------------------|---|

| | |
|---|---|
| Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text | 5 |
|---|---|

Environmental Product Compliance

| | |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

Media

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2034.0</u> | BS-1 | 4044211048365 | 10 ST |

Inlays



Plotter inlay

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1606.0</u> | CCI-10 | 4044211103224 | 1 ST |
