



Insulated cross-connector, No. of poles: 2, Mounting type: Plug in, Width: 13.6 mm, Colour: Red

### **Business data**

Article number	27152.9
Article name	PQI 6/2 RD
GTIN (EAN)	4044211225346
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	2.94 g
Weight per piece (including packaging)	3 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	27152.9
Product description	Insulated cross-connector

## **Data sheet**





Technical data		
Dimensions		
Length	4 mm	
Width	13.6 mm	
Height	22.5 mm	
Pitch size	8.1 mm	
Ratings		
Max. voltage	800 V	
Rated current	41 A	
Current load, max.	41 A	
Rated cross-section	6 mm²	
Contamination degree	3	
Connection data		
No. of poles	2	
Materials		
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-0	
Working temperature, min.	-40 °C	
Working temperature, max.	120 °C	
Further technical data		
Mounting type	Plug in	
Insulation available	✓	
Touch protection is available	✓	
Number of bridged terminals	2	
Environmental Product Compliance		
REACH Candidate Substance Note	No	

# Data sheet 27152.9 PQI 6/2 RD



Media

## Data sheet

### 27152.9 PQI 6/2 RD



### **Accessories**

#### ##INVERSE##CONTA-CONNECT



Three-level initiator terminal |Multi-wire terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Grey

Article number	Article name	GTIN (EAN)	Packaging unit
27049.6	PIKD 2,5/1PE/L/N GR	4044211227180	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27021.2	PSL 6/3A GNYE	4044211223960	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27023.2	PSL 6/4A GNYE	4044211224004	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27019.2	PSL 6/2A GNYE	4044211223922	50 ST