# Data sheet 2020.0 Q 3





Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 17 mm, Rated cross-section: 4 mm², Colour: natural

### **Business data**

240111000 4414	
Article number	2020.0
Article name	Q 3
GTIN (EAN)	4044211048235
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	8.19 g
Weight per piece (including packaging)	8.26 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Cross-connector
Colour	Natural
	·

# Data sheet 2020.0 Q 3







Dimensions		
Length	6 mm	
Width	17 mr	
Hole diameter	3.4 m	
Hole spacing (mid-point to mid-point)	6.1 m	
Pitch size	6 mm	
Ratings		
Voltage with partition, max.	800 V	
Voltage without partition, max.	400 V	
Rated current	27 A	
Rated cross-section	4 mm²	
Contamination degree	3	
Connection data		
No. of poles	3	
Screw head	Slotted	
Screw threading	M 3	
Tightening torque, min.	0.5 Nm	
Tightening torque, max.	1 Nm	
Materials		
Material	Copper	
Surface	Nickel	
Surface screw	Galvanized	
Further technical data		
Mounting type	Screwable	

Number of bridged terminals





Environmental Product Compliance		
REACH Conform	No	
REACH Reference date	2023-06-14	
REACH Candidate Substance Note	No	
REACH CAS 1 Substance	LEAD	
REACH CAS 1 Percent minimal	0.1 %	
REACH CAS 1 Percent maximum	4 %	
REACH CAS 1 Number	7439-92-1	
RoHS Conform	yes	
RoHS Exception rule	6c	

2020.0 Q 3



Media







#### **Accessories**

#### **Screwdriver**

Screwdriver with bare blade, Colour: Black-grey



Article number	Article name	GTIN (EAN)	Packaging unit
1086.0	SDB 0,6x3,5	4044211014797	1 ST