



Cross-connection rail, No. of poles: 10, Mounting type: Can be screwed on, Width: 115.3 mm, Colour: natural

Business data

| | |
|--|-----------------------|
| Article number | <u>2369.0</u> |
| Article name | QS 10 |
| GTIN (EAN) | 4044211051570 |
| Packaging unit | 10 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 8.45 g |
| Weight per piece (including packaging) | 8.46 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | Cross-connection rail |
| Colour | Natural |

Technical data

Dimensions

| | |
|---------------------------------------|----------|
| Length | 6 mm |
| Width | 115.3 mm |
| Height | 2 mm |
| Hole diameter | 3.4 mm |
| Hole spacing (mid-point to mid-point) | 11.9 mm |
| Pitch size | 12 mm |

Connection data

| | |
|--------------|----|
| No. of poles | 10 |
|--------------|----|

Materials

| | |
|----------|--------|
| Material | Brass |
| Surface | Nickel |

Further technical data

| | |
|-----------------------------|-----------|
| Mounting type | Screwable |
| Number of bridged terminals | 10 |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-06-14 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

##INVERSE##CONTA-CONNECT




Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------------------|---------------|----------------|
| <u>1004.4</u> | SK 1/35 24V AC LED(RD) PA-G BK | 4044211129989 | 20 ST |




Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------------------|---------------|----------------|
| <u>1119.4</u> | SK 1/35 48V AC LED(RD) PA-G BK | 4044211130008 | 20 ST |



Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>1375.4</u> | SK 1/35 230V AC G PA-G BK | 4044211129941 | 20 ST |



Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------------------|---------------|----------------|
| <u>1380.4</u> | SK 1/35 24V DC LED(RD) PA-G BK | 4044211129972 | 20 ST |



Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black


| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>1376.4</u> | SK 1/35 115V AC G PA-G BK | 4044211129958 | 20 ST |

##INVERSE##CONTA-CONNECT



Fused terminal with screw cap for indicator fuses 5x25 mm, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour:Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>1368.4</u> | SK 1/35 m.K. PA-G BK | 4044211129811 | 20 ST |



Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>1376.4</u> | SK 1/35 115V AC G PA-G BK | 4044211129958 | 20 ST |



Fused terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 12.2 mm, Colour: Black

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>1376.4</u> | SK 1/35 115V AC G PA-G BK | 4044211129958 | 20 ST |