



Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 150 mm, Rated cross-section: 300 mm<sup>2</sup>, Colour: natural

#### **Business data**

Article number	<u>17246.0</u>	
Article name	QS 3/300/16	
GTIN (EAN)	4044211178079	
Packaging unit	10	
Quantity unit	PC	
Weight per piece (not including packaging)	237 g	
Weight per piece (including packaging)	237.4 g	
Unit of weight	G	
Customs number	85389099	
Country of origin	DE	
Product description	Cross-connector	
Colour	Natural	



#### **Technical data**

Dimensions				
Length	40 mm			
Width	150 mm			
Height	5 mm			
Hole diameter	17.5 mm			
Hole spacing (mid-point to mid-point)	55 mm			
Pitch size	55 mm			
Connection data				
No. of poles	3			
Materials				
Material	Copper			
Surface	Tin-plated			
Further technical data				
Mounting type	Screwable			
Number of bridged terminals	3			
Environmental Product Compliance				
REACH Conform	yes			
REACH Reference date	2023-06-14			
REACH Candidate Substance Note	No			
RoHS Conform	yes			

Media





#### Accessories

#### ##INVERSE##CONTA-CONNECT



High-power stud terminal, Stud connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 300 mm<sup>2</sup>, Width: 55 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17027.2	HSKG 300/M16/B/B BG	4044211177447	5 ST