



Insulation plate, Colour: Beige

Business data

Article number	<u>2566.2</u>
Article name	TRS 3 BG
GTIN (EAN)	4044211053567
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	0.1 g
Weight per piece (including packaging)	0.14 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Insulation plate
Colour	Beige

Technical data

Dimensions

Length	12 mm
Width	2.1 mm
Height	15.2 mm

Materials

Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet


2566.2 TRS 3 BG



Media


Accessories

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1045.2</u>	RKD 4/G/115V AC BG	4044211009458	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1046.2</u>	RKD 4/D1 BG	4044211009663	100




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1047.2</u>	RKD 4/D2 BG	4044211009885	100



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1048.2</u>	RKD 4/UG/600V/5kA BG	4044211010102	50 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>2310.2</u>	RKD 4/LED1(RD)/6V DC BG	4044211050979	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2311.2</u>	RKD 4/LED2(RD)/6V DC BG	4044211050986	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2312.2</u>	RKD 4/LED1(GN)/24V DC BG	4044211050993	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2313.2</u>	RKD 4/LED2(GN)/24V DC BG	4044211051006	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1024.2</u>	RKD 4/UV/60V BG	4044211005443	50 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1029.2</u>	RKD 4/UV/75V BG	4044211006501	50 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1031.2</u>	RKD 4/UV/130V BG	4044211006891	50 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1033.2</u>	RKD 4/UG/90V/5kA BG	4044211007300	50 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1034.2</u>	RKD 4/UG/230V/5kA BG	4044211007515	50 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1040.2</u>	RKD 4/LED1(RD)/24V DC BG	4044211008406	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1041.2</u>	RKD 4/LED2(RD)/24V DC BG	4044211008611	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1042.2</u>	RKD 4/LED5(RD)/24V AC BG	4044211008826	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1043.2</u>	RKD 4/LED5(RD)/48V AC BG	4044211009038	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1044.2</u>	RKD 4/G/230V AC BG	4044211009243	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1023.2</u>	RKD 4/UV/30V BG	4044211005238	50 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>2322.2</u>	RKD 4/D3 BG	4044211051082	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2323.2	RKD 4/D4 BG	4044211051099	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2324.2	RKD 4/RD1 BG	4044211051105	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2436.2	RKD 4/LED3(RD)/24V DC BG	4044211052263	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
2437.2	RKD 4/LED3(GN)/24V DC BG	4044211052270	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
2438.2	RKD 4/LED4(RD)/24V DC BG	4044211052287	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2439.2	RKD 4/LED4(GN)/24V DC BG	4044211052294	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2440.2	RKD 4/RD5 BG	4044211052300	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2469.2	RKD 4/LED(RD)/230V AC BG	4044211052591	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
1051.2	RKD 4/UV/275V BG	4044211010782	50 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
2314.2	RKD 4/LED1(RD)/60V DC BG	4044211051013	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2315.2	RKD 4/LED2(RD)/60V DC BG	4044211051020	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2316.2	RKD 4/LED5(RD)/150V AC BG	4044211051037	100 ST




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2317.2	RKD 4/LED5(RD)/60V AC BG	4044211146740	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
2319.2	RKD 4/D0 BG	4044211051051	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
2320.2	RKD 4/D6 BG	4044211051068	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2321.2</u>	RKD 4/D5 BG	4044211051075	100 ST



Four-wire motor-connection block, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1520.2</u>	VMAB 2,5	4044211046613	10 ST




Five-wire mains-connection block, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1523.2</u>	FNAB 2,5	4044211046729	10 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1412.2</u>	DLIS 2,5 PE/L/L BG	4044211044572	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1417.2</u>	DLI 2,5 PE/L/NT BG	4044211044626	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1418.2</u>	DLI 2,5 PE/L/N BG	4044211044633	50 ST

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1419.2</u>	DLI 2,5 PE/L/L BG	4044211044640	50 ST




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2716.2</u>	DLIS 2,5 B-3L/N/PE BG	4044211129903	25 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1411.2</u>	DLIS 2,5 PE/L/N BG	4044211044565	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1415.2</u>	DLIS 2,5 N BG	4044211044602	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1416.2</u>	DLIS 2,5 L BG	4044211044619	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1420.2</u>	DLI 2,5 L/N BG	4044211044657	50 ST

##INVERSE##CONTA-CONNECT




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1421.2</u>	DLI 2,5 L/L BG	4044211044664	50 ST




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1446.2</u>	DLIS 2,5 B-W BG	4044211044954	16 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1447.2</u>	DLIS 2,5 B-D BG	4044211044961	25 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1448.2</u>	DLI 2,5 B-W BG	4044211044978	16 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2715.2</u>	DLIS 2,5 B-3L/3N/3PE BG	4044211129897	16 ST




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2718.2</u>	DLIS 2,5 B-6L/3PE BG	4044211129927	16 ST

Data sheet


2566.2 TRS 3 BG

##INVERSE##CONTA-CONNECT



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1209.2</u>	RKD 2,5/SV BG	4044211028398	100



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1410.2</u>	DLIS 2,5 PE/L/NT BG	4044211044558	50 ST




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1413.2</u>	DLIS 2,5 L/N BG	4044211044589	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1414.2</u>	DLIS 2,5 L/L BG	4044211044596	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1422.2</u>	DLI 2,5 N BG	4044211044671	50 ST



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1423.2</u>	DLI 2,5 L BG	4044211044688	50 ST

##INVERSE##CONTA-CONNECT




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1449.2</u>	DLI 2,5 B-D BG	4044211044985	25 ST




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2717.2</u>	DLIS 2,5 B-6L BG	4044211129910	16 ST




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1020.2</u>	RKD 4 BG	4044211004545	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1127.2</u>	RKD 2,5/35 BG	4044211019532	100



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1206.2</u>	RKD 2,5 BG	4044211028145	100



Ex double-level terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1428.2</u>	RKD 2,5 Ex BG	4044211044756	100

##INVERSE##CONTA-CONNECT




Ex double-level terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1429.2</u>	RKD 4 Ex BG	4044211044763	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1579.2</u>	RKD 2,5/35/SV BG	4044211047665	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1581.2</u>	RKD 4/35/SV BG	4044211047689	100



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1027.2</u>	RKD 4/SV BG	4044211006075	100



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1128.2</u>	RKD 4/35 BG	4044211019648	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1010.2</u>	RK 1,5-4/15 BG	4044211002275	100

##INVERSE##CONTA-CONNECT




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1296.2</u>	RK 2,5 BG	4044211040215	100



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 35 mm², Width: 16 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1432.2</u>	RK 35 Ex BG	4044211044794	20




Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1430.2</u>	RK 6-10 Ex BG	4044211044770	100




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 25 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1166.2</u>	RK 2,5/SAS BG	4044211128616	100



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1427.2</u>	RK 2,5-4 Ex BG	4044211044732	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1015.2</u>	RK 1,5-4 BG	4044211003425	100

##INVERSE##CONTA-CONNECT




Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1433.2</u>	RK 1,5-4/15 Ex BG	4044211044817	100




Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1426.2</u>	RK 2,5 Ex BG	4044211044718	100



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
<u>1431.2</u>	RK 16 Ex BG	4044211044787	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 25 mm², Width: 5 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1562.2</u>	RK 2,5/PE BKYE	4044211047337	100 ST

##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1023.2</u>	RKD 4/UV/30V BG	4044211005238	50 ST

##INVERSE##CONTA-CONNECT

Data sheet


2566.2 TRS 3 BG



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1041.2</u>	RKD 4/LED2(RD)/24V DC BG	4044211008611	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1029.2</u>	RKD 4/UV/75V BG	4044211006501	50 ST