



End plate, Width: 2 mm, Colour: Blue

**RAL:** Ähnlich 5005

### Business data

|  |               |
|--|---------------|
| Article number                             | <u>3760.5</u> |
| Article name                               | ZAP 6/2A BU   |
| GTIN (EAN)                                 | 4044211060831 |
| Packaging unit                             | 20            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 3.8 g         |
| Weight per piece (including packaging)     | 3.9 g         |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Prio-Article                               | 3760.2        |
| Product description                        | End plate     |

---

### Technical data

---

#### Dimensions

|        |       |
|--------|-------|
| Length | 65 mm |
| Width  | 2 mm  |
| Height | 40 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|                       |   |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available     | ✓ |

#### Environmental Product Compliance

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

---

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Green-yellow

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3589.2</u>  | ZSL 6/2A GNYE | 4044211151973 | 100 ST         |



Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Green-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1725.2</u>  | ZSL 6/2A Ex GNYE | 4044211059453 | 100 ST         |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>1719.2</u>  | ZRK 6/2A Ex BG | 4044211059279 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3581.2</u>  | ZRK 6/2A BG  | 4044211151867 | 100            |