



Insulated cross-connector, No. of poles: 99, Mounting type: Plug in, Width: 500 mm, Rated cross-section: 2.5 mm², Colour: Yellow

RAL: 1026

Business data

| <u> </u> | |
|--|---------------------------|
| Article number | <u>3719.8</u> |
| Article name | ZQI 2,5/0,5 m/99 Pole YE |
| GTIN (EAN) | 4044211060374 |
| Packaging unit | 2 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 56.47 g |
| Weight per piece (including packaging) | 99.47 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 3719.8 |
| Product description | Insulated cross-connector |



3719.8 ZQI 2,5/0,5 m/99 Pole YE

| Technical data | | |
|----------------------------------|---------------------|--|
| Dimensions | | |
| Length | 4.5 mm | |
| Width | 500 mm | |
| Pitch size | 5 mm | |
| Ratings | | |
| Voltage with partition, max. | 800 V | |
| Voltage without partition, max. | 800 V | |
| Rated current | 24 A | |
| Rated cross-section | 2.5 mm ² | |
| Contamination degree | 3 | |
| Connection data | | |
| No. of poles | 99 | |
| Materials | | |
| Material | Copper alloy | |
| Surface | Tin-plated | |
| Insulation housing | Polyamide 6.6 | |
| Flammability class UL 94 | V-2 | |
| Working temperature, min. | -40 °C | |
| Working temperature, max. | 105 °C | |
| Further technical data | | |
| Mounting type | Plug in | |
| Insulation available | ✓ | |
| Touch protection is available | ✓ | |
| Number of bridged terminals | 99 | |
| Environmental Product Compliance | | |
| REACH Candidate Substance Note | No | |
| | | |

Data sheet 3719.8 ZQI 2,5/0,5 m/99 Pole YE



Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3568.2 | ZRKD 2,5/LED1(RD)/24V DC BG | 4044211059125 | 100 ST |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3569.2 | ZRKD 2,5/LED2(RD)/24V DC BG | 4044211059132 | 100 ST |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3572.2 | ZRKD 2,5/D3 BG | 4044211059163 | 100 |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3573.2 | ZRKD 2,5/D4 BG | 4044211059170 | 100 |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3574.2 | ZRKD 2,5/D5 BG | 4044211059187 | 100 ST |





##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3645.2 | ZRKD 2,5/LED(RD)/230V AC BG | 4044211146733 | 100 ST |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3570.2 | ZRKD 2,5/D1 BG | 4044211059149 | 100 |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3571.2 | ZRKD 2,5/D2 BG | 4044211059156 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17481.2 | ZST 2,5/1/1A/Q BG | 4044211205201 | 50 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 66.3 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17493.2 | ZST 2,5/13/1A/Q BG | 4044211205324 | 10 ST |





##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 71.4 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17494.2 | ZST 2,5/14/1A/Q BG | 4044211205331 | 10 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3653.2 | ZRKS 2,5/2A/2S BG | 4044211177683 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3652.2 | ZRKS 2,5/2A/1S BG | 4044211177676 | 100 |



Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3655.2 | ZRKS 2,5/2S BG | 4044211177706 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 25.5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 17485.2 | ZST 2,5/5/1A/Q BG | 4044211205249 | 50 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 56.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17491.2 | ZST 2,5/11/1A/Q BG | 4044211205300 | 10 ST |





##INVERSE##CONTA-CONNECT

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 76.5 mm, Colour: Beige



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17495.2 | ZST 2,5/15/1A/Q BG | 4044211205348 | 10 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 816 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17496.2 | ZST 2,5/16/1A/Q BG | 4044211205355 | 10 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3650.2 | ZRKS 2,5/1A/1S BG | 4044211177652 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3651.2 | ZRKS 2,5/1A/2S BG | 4044211177669 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 45.9 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17489.2 | ZST 2,5/9/1A/Q BG | 4044211205287 | 25 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 51 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 17490.2 | ZST 2,5/10/1A/Q BG | 4044211205294 | 25 ST |





##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3673.2 | ZST 2,5/1A/Q/Z BG | 4044211177843 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 20.4 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17484.2 | ZST 2,5/4/1A/Q BG | 4044211205232 | 50 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 35.7 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17487.2 | ZST 2,5/7/1A/Q BG | 4044211205263 | 25 ST |



Feed-through terminal, Plug-in connection, Mounting type: Mounting rail TS 35/7.5, Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3654.2 | ZRKS 2,5/4S BG | 4044211177690 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 10.2 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17482.2 | ZST 2,5/2/1A/Q BG | 4044211205218 | 50 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 15.3 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17483.2</u> | ZST 2,5/3/1A/Q BG | 4044211205225 | 50 ST |





##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 40.8 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 17488.2 | ZST 2,5/8/1A/Q BG | 4044211205270 | 25 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 61.2 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 17492.2 | ZST 2,5/12/1A/Q BG | 4044211205317 | 10 ST |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 3672.2 | ZST 2,5/1A/Q BG | 4044211177836 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 30.6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17486.2 | ZST 2,5/6/1A/Q BG | 4044211205256 | 25 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3528.2 | ZIZA 1,5/3 BG | 4044211058722 | 100 ST |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 3529.2 | ZIZA 1,5/3/B BG | 4044211058739 | 50 |





##INVERSE##CONTA-CONNECT



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| 3530.2 | ZIZA 1,5/3/LED(RD)/24V BG | 4044211058746 | 50 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3533.2 | ZIZA 1,5/4 BG | 4044211058784 | 100 ST |




Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3535.2 | ZIZA 1,5/4/B/LED(RD)/24V BG | 4044211058807 | 50 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 3554.2 | ZIZA 1,5/3/16 POL/PE | 4044211058951 | 1 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| 3644.2 | ZIZA 1,5/3/17 POL/LED(RD)/24V | 4044211108403 | 1 ST |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|-------------------|
| <u>3531.2</u> | ZIZA 1,5/3/B/LED(RD)/24V BG | 4044211058760 | 50 ST |





##INVERSE##CONTA-CONNECT



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| 3536.2 | ZIZA 1,5/4/LED(RD)/24V BG | 4044211058814 | 100 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 45.9 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 3544.2 | ZIZA 1,5/3/8 POL | 4044211058852 | 5 ST |




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 56.1 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------------------|---------------|-------------------|
| 3547.2 | ZIZA 1,5/3/10 POL/LED(RD)/24V | 4044211058883 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------------------|---------------|-------------------|
| 3553.2 | ZIZA 1,5/3/10 POL/LED(RD)/24V/PE | 4044211058944 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------------------|---------------|-------------------|
| 3555.2 | ZIZA 1,5/3/16 POL/LED(RD)/24V/PE | 4044211058968 | 1 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|-------------------|
| <u>3556.2</u> | ZIZA 1,5/4/8 POL/PE | 4044211058975 | 5 ST |





##INVERSE##CONTA-CONNECT




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------------------|---------------|----------------|
| 3559.2 | ZIZA 1,5/4/10 POL/LED(RD)/24V/PE | 4044211059002 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|-------------------|
| 3560.2 | ZIZA 1,5/4/16 POL/PE | 4044211059019 | 1 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------------|---------------|-------------------|
| 3642.2 | ZIZA 1,5/3/9 POL/LED(RD)/24V | 4044211108410 | 1 ST |



Initiator terminal / actuator terminal / block variant, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 3534.2 | ZIZA 1,5/4/B BG | 4044211058791 | 50 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 45.9 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------------------|---------------|----------------|
| <u>3545.2</u> | ZIZA 1,5/3/8 POL/LED(RD)/24V | 4044211058869 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 86.7 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3548.2 | ZIZA 1,5/3/16 POL | 4044211058890 | 1 ST |





##INVERSE##CONTA-CONNECT



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|-------------------|
| 3550.2 | ZIZA 1,5/3/8 POL/PE | 4044211058913 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|-------------------|
| 3552.2 | ZIZA 1,5/3/10 POL/PE | 4044211058937 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------------|---------------|-------------------|
| 3557.2 | ZIZA 1,5/4/8 POL/LED(RD)/24V/PE | 4044211058982 | 5 ST |




Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------------------|---------------|-------------------|
| 3561.2 | ZIZA 1,5/4/16 POL/LED(RD)/24V/PE | 4044211059026 | 1 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 3641.2 | ZIZA 1,5/3/9 POL | 4044211108380 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 91.8 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3643.2 | ZIZA 1,5/3/17 POL | 4044211108397 | 1 ST |





##INVERSE##CONTA-CONNECT




Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm², Width: 51 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|-------------------|
| 1729.2 | ZSRK 2,5/2A-D Ex BG | 4044211129699 | 100 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 56.1 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3546.2 | ZIZA 1,5/3/10 POL | 4044211058876 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 86.7 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| 3549.2 | ZIZA 1,5/3/16 POL/LED(RD)/24V | 4044211058906 | 1 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------------------|---------------|-------------------|
| 3551.2 | ZIZA 1,5/3/8 POL/LED(RD)/24V/PE | 4044211058920 | 5 ST |



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 3558.2 | ZIZA 1,5/4/10 POL/PE | 4044211058999 | 5 ST |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 3588.2 | ZSRK 2,5/2A-D BG | 4044211151966 | 100 |





##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 3638.2 | ZSLN 2,5/2A-D BKYE | 4044211080570 | 100 ST |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| 3639.2 | ZSLN 2,5/2A-RC BKYE | 4044211080556 | 100 ST |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 11.1 mm, Colour: Black-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 3640.2 | ZSLN 2,5/2A-D/F BKYE | 4044211080563 | 50 ST |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3587.2 | ZSRK 2,5/2A-RC BG | 4044211151942 | 100 |



Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 11.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 3595.2 | ZSRK 2,5/2A/D/F BG | 4044211059545 | 50 |



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3616.2 | ZTRK 2,5/2A/ZS BG | 4044211059804 | 100 |





##INVERSE##CONTA-CONNECT



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3621.2 | ZTRK 2,5/3A/ZS BG | 4044211059859 | 100 |



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3626.2 | ZTRK 2,5/4A/ZS BG | 4044211059903 | 100 |



Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3605.2 | ZTRK 2,5/4A/MT BG | 4044211059699 | 100 |



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3611.2 | ZTRK 2,5/4A/OT BG | 4044211059750 | 100 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 3590.2 | ZIKD 2,5 BG | 4044211059460 | 50 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 3592.2 | ZIKD 2,5/PE/L/L BG | 4044211059507 | 50 |





##INVERSE##CONTA-CONNECT



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 3594.2 | ZIKD 2,5/PE/L/N BG | 4044211059538 | 50 ST |



Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3603.2 | ZTRK 2,5/2A/MT BG | 4044211059675 | 100 |



Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3604.2 | ZTRK 2,5/3A/MT BG | 4044211059682 | 100 |



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3609.2 | ZTRK 2,5/2A/OT BG | 4044211059736 | 100 |



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3610.2 | ZTRK 2,5/3A/OT BG | 4044211059743 | 100 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 17037.2 | ZIKD 2,5/L-L-N BG | 4044211155742 | 50 ST |





##INVERSE##CONTA-CONNECT



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3564.2 | ZRKD 2,5/N/DU | 4044211059088 | 100 ST |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3566.2 | ZRKD 2,5/N/PE | 4044211059101 | 100 ST |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 3575.2 | ZRKD 2,5/ZBA BG | 4044211059194 | 100 |



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3591.2 | ZIKD 2,5/SV BG | 4044211059484 | 50 |



Ex double-level terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>1707.2</u> | ZRKD 2,5 Ex BG | 4044211110949 | 100 |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------|---------------|----------------|
| 3562.2 | ZRKD 2,5 BG | 4044211151836 | 100 |





##INVERSE##CONTA-CONNECT



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3563.2 | ZRKD 2,5/SV BG | 4044211059064 | 100 |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3565.2</u> | ZRKD 2,5/DU/PE | 4044211059095 | 100 ST |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 3576.2 | ZRKD 2,5/SV/ZBA BG | 4044211059217 | 100 |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3577.2 | ZRKD 2,5/N/DU/ZBA | 4044211059231 | 100 ST |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|----------------|
| 3578.2 | ZRKD 2,5/DU/PE/ZBA | 4044211059248 | 100 ST |



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3579.2 | ZRKD 2,5/N/PE/ZBA | 4044211059255 | 100 ST |





##INVERSE##CONTA-CONNECT



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 1704.2 | ZRK 2,5/2A Ex BG | 4044211058401 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3501.2 | ZRK 2,5/3A BG | 4044211151690 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 1169.2 | ZSRK 2,5/2A/SAS BG | 4044211128647 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|-------------------|
| 1700.2 | ZSRK 2,5/2A/15 Ex BG | 4044211059354 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1702.2 | ZSRK 2,5/2A Ex BG | 4044211059316 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>1705.2</u> | ZRK 2,5/3A Ex BG | 4044211110925 | 100 |





##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3500.2 | ZRK 2,5/2A BG | 4044211151683 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3583.2 | ZSRK 2,5/2A BG | 4044211151874 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3585.2 | ZSRK 2,5/2A/15 BG | 4044211151904 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 1703.2 | ZSRK 2,5/3A Ex BG | 4044211059620 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| 1706.2 | ZRK 2,5/4A Ex BG | 4044211058463 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 3599.2 | ZSRK 2,5/3A/15 BG | 4044211152024 | 100 |





##INVERSE##CONTA-CONNECT



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 1701.2 | ZSRK 2,5/3A/15 Ex BG | 4044211059590 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| 3502.2 | ZRK 2,5/4A BG | 4044211151713 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3600.2 | ZSRK 2,5/3A BG | 4044211152031 | 100 |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3568.2 | ZRKD 2,5/LED1(RD)/24V DC BG | 4044211059125 | 100 ST |





##INVERSE##CONTA-CONNECT

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| 3645.2 | ZRKD 2,5/LED(RD)/230V AC BG | 4044211146733 | 100 ST |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3570.2 | ZRKD 2,5/D1 BG | 4044211059149 | 100 |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3571.2 | ZRKD 2,5/D2 BG | 4044211059156 | 100 |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|----------------|
| 3572.2 | ZRKD 2,5/D3 BG | 4044211059163 | 100 |