Data sheet 27122.9 PQI 1,5/2 RD





Insulated cross-connector, No. of poles: 2, Mounting type: Plug in, Width: 6.1 mm, Colour: Red

Business data

Article number	27122.9
Article name	PQI 1,5/2 RD
GTIN (EAN)	4044211225162
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	0.62 g
Weight per piece (including packaging)	0.67 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	27122.9
Product description	Insulated cross-connector

Data sheet





Dimensions		
Length	3.2 mm	
Width	6.1 mm	
Height	14.5 mm	
Pitch size	3.5 mm	
Ratings		
Max. voltage	500 V	
Rated current	17.5 A	
Current load, max.	17,5 A	
Rated cross-section	1.5 mm ²	
Contamination degree	3	
Connection data		
No. of poles	2	
Materials		
Insulation housing	Polyamide 6.6	
Flammability class UL 94	V-0	
Working temperature, min.	-40 °C	
Working temperature, max.	120 °C	
Further technical data		
Mounting type	Plug in	
Insulation available	✓	
Touch protection is available	✓	
Number of bridged terminals	2	
Environmental Product Compliance		
REACH Candidate Substance Note	No	

Data sheet 27122.9 PQI 1,5/2 RD



Media

Data sheet





Accessories

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27001.2	PSL 1,5/2A GNYE	4044211223687	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27003.2	PSL 1,5/3A GNYE	4044211223724	50 ST



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27005.2	PSL 1,5/4A GNYE	4044211223762	50 ST

##INVERSE##CONTA-CONNECT



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 3.5 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
27001.2	PSL 1,5/2A GNYE	4044211223687	50 ST